

EGRESS WINDOW CHART 5.7
SQUARE FEET

WIDTH		I	N	C	H	E	S										
HT	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
24	3.3	3.5	3.6	3.8	4.0	4.1	4.3	4.5	4.6	4.8	5.0	5.1	5.3	5.5	5.6	5.8	6.0
25	3.4	3.6	3.8	3.9	4.1	4.3	4.5	4.6	4.8	5.0	5.2	5.3	5.5	5.7	5.9	6.0	6.2
26	3.6	3.7	3.9	4.1	4.3	4.5	4.6	4.8	5.0	5.2	5.4	5.5	5.7	5.9	6.1	6.3	6.5
27	3.7	3.9	4.1	4.3	4.5	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.1	6.3	6.5	6.7
28	3.8	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0
29	4.0	4.2	4.4	4.6	4.8	5.0	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0	7.2
30	4.1	4.3	4.5	4.7	5.0	5.2	5.4	5.6	5.8	6.0	6.2	6.4	6.6	6.8	7.0	7.2	7.5
31	4.3	4.5	4.7	4.9	5.1	5.3	5.5	5.8	6.0	6.2	6.4	6.6	6.8	7.1	7.3	7.5	7.7
32	4.4	4.6	4.8	5.1	5.3	5.5	5.7	6.0	6.2	6.4	6.6	6.8	7.1	7.3	7.5	7.7	8.0
33	4.5	4.8	5.0	5.2	5.5	5.7	5.9	6.1	6.4	6.6	6.8	7.1	7.3	7.5	7.7	8.0	8.2
34	4.7	4.9	5.1	5.4	5.6	5.9	6.1	6.3	6.6	6.8	7.0	7.3	7.5	7.7	8.0	8.2	8.5
35	4.8	5.1	5.3	5.5	5.8	6.0	6.3	6.5	6.8	7.0	7.2	7.5	7.7	8.0	8.2	8.5	8.7
36	5.0	5.2	5.5	5.7	6.0	6.2	6.5	6.7	7.0	7.2	7.5	7.7	8.0	8.2	8.5	8.7	9.0
37	5.1	5.3	5.6	5.9	6.1	6.4	6.6	6.9	7.1	7.4	7.7	7.9	8.2	8.4	8.7	8.9	9.2
38	5.2	5.5	5.8	6.0	6.3	6.5	6.8	7.1	7.3	7.6	7.9	8.1	8.4	8.7	8.9	9.2	9.5
39	5.4	5.6	5.9	6.2	6.5	6.7	7.0	7.3	7.5	7.8	8.1	8.3	8.6	8.9	9.2	9.4	9.7
40	5.5	5.8	6.1	6.3	6.6	6.9	7.2	7.5	7.7	8.0	8.3	8.6	8.8	9.1	9.4	9.7	10
41	5.6	5.9	6.2	6.5	6.8	7.1	7.4	7.6	7.9	8.2	8.5	8.8	9.1	9.3	9.6	9.9	10
42	5.8	6.1	6.4	6.7	7.0	7.2	7.5	7.8	8.1	8.4	8.7	9.0	9.3	9.6	9.9	10	10

MEANS OF ESCAPE WINDOWS

Please note certain minimum and maximum sizes apply to windows serving as second means of escape from habitable rooms.

1. Width cannot be less than 20 inches.
2. Height cannot be less than 24 inches.
3. Minimum clear opening cannot be less than 5.7 square feet.
4. Sill height above the floor cannot be more than 44 inches.

Windows that have to be disassembled do not meet the Codes requirements.

